## Utah Department of Environmental Quality Division of Drinking Water

## Monitoring Schedule

Run Date: 08/04/2011 11:58 am

PWS ID: UTAH09077 Name: BRISTLECONE

Legal Contact BRISTLECONE Rating: Approved

NEIL FOSTER Rating Date: 05/14/2008

Address: PO BOX 640021 Activity Status: Active

BRYCE, UT 84764 *Phone Number:* 435-834-5227

City Served (Area):

County: GARFIELD COUNTY

Gal/Day Gal/Min

System Type: Non-community

Activity Status Cd: Active

Population: 160

Last Inv Update: 01/05/2011

Avg Daily Prod: 09/08/2010

Total Dsgn Cap: Surveyor: STEVE BRENCHLEY

Total Emerg Cap:

Oper Period: 1/1 to 12/31

## **Total Coliform Rule Monitoring**

Sample Count	Sample Type	Sample Frequency	Effective Begin Date	Effective End Date	Seasonal Start	Seasonal End	Analyte Name	
1	Routine	Quarterly	04/01/2011		1/1	12/31	COLIFORM (TCR)	

## **Additional Monitoring Requirements**

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility □□IIFacility Name  Analyte Name	Sample Count	Sample Type	Samp Freque		Next Sample Between
WS001 BRISTLECONE #1 WELL		Activity Sta	atus: A	Sample Label: UTAH0907	7 WS001 WS001
NITRATE	1	Routine	Year	02/27/2009	01/01/2010-12/31/2010
SULFATE	1	Routine	3Y	12/14/2007	01/01/2008-12/31/2010

Page 1 of 1 08/04/2011